

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20221 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/673,750	10/20/2000	Junji Sato	01165.0798 3787		
22852 7:	590 01/31/2003				
FINNEGAN, HENDERSON, FARABOW, GARRETT &			EXAMINER		
DUNNER LLP 1300 I STREET	Γ, NW	GONZALEZ, JULIO C			
WASHINGTON, DC 20006			ART UNIT	PAPER NUMBER	
			2834		
			DATE MAILED: 01/31/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

•				M				
•	Application No.		Applicant(s)					
Office Action Comments	09/673,750		SATO ET AL.					
Office Action Summary	Examiner		Art Unit					
	Julio C. Gonzale		2834					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPI THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a re  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statu  - Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).  Status	136(a). In no event, howed ply within the statutory min d will apply and will expire tte, cause the application to	ever, may a reply be tim nimum of thirty (30) days SIX (6) MONTHS from to become ABANDONED	nely filed s will be considered timel the mailing date of this or O (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on 15	<u>November 2002</u> .							
2a)⊠ This action is <b>FINAL</b> . 2b)□ T	his action is non-fi	nal.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. <b>Disposition of Claims</b>								
4)⊠ Claim(s) <u>1-11,14,15 and 17-31</u> is/are pendin	g in the application	١.						
4a) Of the above claim(s) is/are withdra	awn from consider	ation.						
5)⊠ Claim(s) <u>29-31</u> is/are allowed.								
6)⊠ Claim(s) <u>1-11,14,15 and 17-28</u> is/are rejected	6)⊠ Claim(s) <u>1-11,14,15 and 17-28</u> is/are rejected.							
7) Claim(s) is/are objected to.								
8) Claim(s) are subject to restriction and/or election requirement.								
Application Papers								
9)☐ The specification is objected to by the Examin								
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.								
If approved, corrected drawings are required in reply to this Office action.								
12) The oath or declaration is objected to by the Examiner.								
Priority under 35 U.S.C. §§ 119 and 120								
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
a) ☐ All b) ☐ Some * c) ☐ None of:								
1. Certified copies of the priority documents have been received.								
2. Certified copies of the priority documents have been received in Application No								
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>								
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).								
<ul> <li>a)          The translation of the foreign language provisional application has been received.     </li> <li>15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.</li> </ul>								
Attachment(s)								
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s)</li> </ol>	5) 🔲		r (PTO-413) Paper No Patent Application (PT					

Art Unit: 2834

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 2, 15, 18, 20, 22, 23, 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ikeda (JP Pat No 410271724A) in view of Kusayama et al (US 4,035,677).

Ikeda discloses a magnet 1 having a through hole, a shaft 3 having a stepped outer surface and having a portion fitted in the through hole (see figure 1a) and having an axial interengagement length shorter than an axial length of the through hole (see figure 1a) and a second portion thinner than and adjacent the first portion that is not in engagement with the through hole (see figure 1a).

However, Ikeda does not disclose having a toothed wheel adjacent the end of the first portion.

On the other hand, Kusayama et al discloses for the purpose of providing an improved rotor which has high accuracy, a shaft 23 and a toothed wheel adjacent a first portion that is in engagement with a through hole (see figures 1 and 2).

Application/Control Number: 09/673,750 Page 3

Art Unit: 2834

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design a rotor as disclosed by Ikeda and to modify the invention by having a toothed wheel for the purpose of providing an improved rotor which has high accuracy as disclosed by Kusayama et al.

3. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ikeda and Kusayama et al as applied to claims 1 and 15 above, and further in view of Marioni.

The combined rotor discloses all of the elements above. However, the combined rotor does not disclose an epoxy resin.

On the other hand, Marioni discloses for the purpose of obtaining high quality rotors at low costs, reinforcing means 12, which comprises a epoxy resin (column 2, lines 51, 52) that is engage with the magnets 10 and shaft 11 (see figure 7).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined rotor as disclosed above and to modify the invention by using epoxy resin for the purpose of obtaining high quality rotors at low costs as disclosed by Marioni.

Application/Control Number: 09/673,750 Page 4

Art Unit: 2834

4. Claims 3, 4, 11, 19, 21 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ikeda and Kusayama et al as applied to claims 2, 18 and 26 above, and further in view of Miyahara et al.

The combined rotor discloses all of the elements above. However, the combined rotor does not disclose using a metal plating.

On the other hand, Miyahara et al discloses for the purpose of improving the reliability of a sensor and effectively detecting the position of the shaft, an electroless metal coat plate 19 (column 2, lines 63, 64) over the magnet 12 (see figures 1B, 5)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined rotor as disclosed above and to use an electroless plate for the purpose of improving the reliability of a sensor and effectively detecting the position of the shaft as disclosed by Miyahara et al.

Page 5

Application/Control Number: 09/673,750

Art Unit: 2834

5. Claims 6-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ikeda and Kusayama et al and Miyahara et al as applied to claim 3 above, and further in view of Tagaya.

The combined rotor discloses all of the elements above. However, the combined rotor does not disclose the thickness of the plate layer and other protective layers.

On the other hand, Tagaya discloses for the purpose of improving the corrosion resistance on rare earth magnets, an electroless plate layer and an electroplating top layer protective coatings (column 4, lines 59-68) and specific thickness for the electroless layer, electroplating layer and metal plating (column 4, lines 39, 40 & column 5, lines 3-5).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined rotor as disclosed above and to use electroless and electroplating layers for the purpose of improving the corrosion resistance on rare earth magnets as disclosed by Tagaya.

Art Unit: 2834

6. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ikeda and Kusayama et al and Miyahara et al as applied to claim 3 above, and further in view of Zolla.

The combined rotor discloses all of the elements above. However, the combined rotor does not disclose the type of electroless plating.

On the other hand Zolla discloses for the purpose of increasing the resistance to corrosion of an easily corroded metallic support that the electroless plating can be made of Ni-P, Ni-P-W, NI-B, Ni material (column 2, line 16 & table on column 6).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined rotor as disclosed above and to use specific types of electroless plating for the purpose of increasing the resistance to corrosion of an easily corroded metallic support as disclosed by Zolla.

7. Claims 24 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ikeda and Kusayama et al as applied to claims 23 and 26 above, and further in view of Oda et al.

The combined rotor discloses all of the elements above. However, the combined rotor does not disclose a vacuum-impregnated process.

Art Unit: 2834

On the other hand, Oda et al discloses for the purpose of preventing unbalanced during rotation of the shaft, magnet segments filled with epoxy resin adhesive by vacuum impregnation method (column 7, lines 21-24 & see figure 6).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined rotor as disclosed above and to use vacuum-impregnation methods for the purpose of preventing unbalanced during rotation of the shaft as disclosed by Oda et al.

8. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ikeda, Kusayama et al and Miyahara et al as applied to claim 11 above, and further in view of Oda et al.

The combined rotor discloses all of the elements above. However, the combined rotor does not disclose a vacuum-impregnated process.

On the other hand, Oda et al discloses for the purpose of preventing unbalanced during rotation of the shaft, magnet segments filled with epoxy resin adhesive by vacuum impregnation method (column 7, lines 21-24 & see figure 6).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to design the combined rotor as disclosed above and to use Art Unit: 2834

a vacuum-impregnated process for the purpose of preventing unbalanced during rotation of the shaft as disclosed by Oda et al.

## Allowable Subject Matter

9. Claims 29, 30 and 31 are allowed.

# Response to Arguments

10. Applicant's arguments with respect to claims 1-31 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire

THREE MONTHS from the mailing date of this action. In the event a first reply is

filed within TWO MONTHS of the mailing date of this final action and the

advisory action is not mailed until after the end of the THREE-MONTH shortened

Art Unit: 2834

Page 9

statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio C. Gonzalez whose telephone number is (703) 305-1563. The examiner can normally be reached on M-F (8AM-5PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (703) 308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Jcg

January 24, 2003

SUPPLIES DANGER STRUCKS

REMAINEMENT OF THE PROPERTY OF THE PR